


# New Approaches to Detecting Geochemical Anomalies



A short course presented at the:

**AIG-SMEDG SYMPOSIUM**

By

**Neil Rutherford**

Rutherford Mineral Resource Consultants

**David Cohen**

School of Geology, University of NSW

**Thursday, 11 August 2002**



**RUTHERFORD**  
**MINERAL RESOURCE CONSULTANTS**  
ABN: 60 396 553 906



Geology

## CONTENTS

<b>1. INTRODUCTION</b>	<b>5</b>
<b>2. REGOLITH EVOLUTION, GEOCHEMICAL LANDSCAPES AND CONCEPTUAL MODELS</b>	<b>7</b>
2.1. Weathering Processes and Geochemical Transport	7
2.2. Regolith Profile Geochemistry	8
2.2.1. Introduction	8
2.2.2. Weathering of Silicate Rocks	11
2.2.3. The Role of Iron	14
2.2.4. Weathering in Wet Environments	16
2.2.5. Weathering in Wet-Dry Environments	17
2.2.6. Weathering in Dry Environments	18
2.3. Fundamental Controls on Geochemical Processes	19
2.3.1. Element Behaviour and Oxidation State	19
2.3.2. Chemical Controls on Dispersion	21
2.3.3. pH and Eh	21
2.3.4. Chemical controls on pH and the influence of the Metal:Sulphur ratio	26
2.3.5. Adsorption	31
2.3.6. Element Mobility and Geochemical Halos	36
2.4. The Geochemistry of Gold	41
2.4.1. The Aqueous Chemistry of Gold	41
2.5. Gold Mobility in the Superficial Environment	44
2.5.1. Gold Mobility During Lateritization	44
2.5.2. Gold Mobility in Rainforest Environments	45
2.5.3. Gold Mobility in Arid Environments	45
2.5.4. Gold in Truncated Lateritic Profiles	45
2.6. Supergene Mineralisation	46
2.6.1. Model for Reworking of Gold by Supergene Processes	46
2.6.2. Model for Enrichment and Leaching of Base Metals by Supergene Processes	47
2.7. The Weathered Profile and its Impact in Exploration	49
<b>3. SAMPLING MEDIA OPTIONS</b>	<b>51</b>
3.1. Introduction	51
3.2. Samples, Assays, Backgrounds and Anomalies – Some Philosophy	52
3.2.1. Samples and Sampling	52
3.2.2. Background	54
3.2.3. Anomalism	54
3.2.4. Representivity	54
3.2.5. Geochemical Targets	55
3.2.6. Orientation Geochemistry	56
3.3. Stream Sediments	58
3.3.1. Target Prediction Models	59
3.3.2. Dispersion, Entrapment and Dilution	62
3.3.3. BLEG	63
3.4. Soils and Weathered Bedrock	63
3.4.1. Lag	64
3.4.2. Pisolites	64
3.5. Biogeochemistry	65
3.6. Soil Gas and Groundwater Geochemistry	67

3.6.1.	CO <sub>2</sub> , O <sub>2</sub> , SO <sub>2</sub>	67
3.6.2.	Volatile Metal Compounds	73
3.7.	Case Studies: Soils, Mrangelli and McKinnons, Cobar	75
3.8.	Case Study: Stream Sediment Orientation Survey, Northeastern NSW	85
3.8.1.	Outline	85
3.8.2.	Objectives of Survey	85
3.8.3.	General Design of Survey	85
3.8.4.	Description of Region	86
3.8.5.	Sampling	86
3.8.6.	Orientation Survey	87
3.9.	Case Study: Vegetation versus Stream Sediments, Northeastern NSW	89
3.9.1.	Introduction	89
3.9.2.	Area Description	91
3.9.3.	Sampling and Analysis	92
3.9.4.	Results	92
3.9.5.	Discussion	94
3.9.6.	Conclusion	96
3.10.	Case study: Stream Sediments, Timbarra	103
<b>4.</b>	<b>NEW GENERATION SELECTIVE GEOCHEMICAL EXTRACTIONS</b>	<b>110</b>
4.1.	Introduction	110
4.1.1.	Partial Leaches and Total Leaches	112
4.2.	Some Comments on the Use of Selective Extractions in Geochemical Exploration in Arid Terrains.	114
4.2.1.	Introduction	114
4.2.2.	Terminology	115
4.2.3.	Sampling Procedures	116
4.2.4.	Data Processing	118
4.2.5.	Selective Extractions as Guides to Dispersion Processes	121
4.2.6.	Research Directions in Selective Extractions	123
4.3.	Case Study: Selective Extractions, Ruby Star, Arizona.	124
4.3.1.	Introduction	124
4.3.2.	Sampling	126
4.3.3.	Experimental	127
4.3.4.	Results	130
4.3.5.	Discussion	135
4.3.6.	Conclusions	137
4.4.	Case Studies: Multimedia Comparison, McKinnons Region, Cobar.	138
4.4.1.	Mafeesh Anomaly – Pisolite and Partial Leach Soil Geochemistry - No Cover	138
4.4.2.	Anomaly P4 – Pisolite, Soil and RAB Geochemistry - Shallow Cover	139
4.4.3.	Anomaly LP3 – Soil and RAB Geochemistry - Thick Transported Cover	141
4.5.	Case study: Transported Regolith, CSA, Cobar	143
4.5.1.	Exploration In Areas Of Residual Cover - McKinnons And Mrangelli	143
4.5.2.	Exploration In Areas Of Deep Transported Cover - CSA	145
4.5.3.	Conclusion	146
4.6.	Case Study: Osborne Cu-Au Mineralisation Cloncurry District, NW Queensland	148
4.7.	Case Studies: Assessment of Regional Geology & Structures for Leakage	149
4.7.1.	Structurally Controlled Regional Leakage Geochemical Anomalism	149
4.7.2.	Delineation of Geology and Alteration with Geochemistry	149

<b>5. IDENTIFYING MULTIVARIATE GEOCHEMICAL ANOMALIES USING STATISTICAL METHODS</b>	<b>150</b>
5.1. Introduction	150
5.2. Statistical Definitions of "Anomaly"	151
5.3. Regression and Anomaly Detection	153
5.4. Clustering and Anomaly Detection	157
5.5. Case study: NRAC Stream Sediment Survey	157
5.6. Case Study: Comparison of UNN with k-means Clustering	158
5.6.1. K-means Clustering	159
5.6.2. Neural Networks	160
5.6.3. Study Area	161
5.6.4. Data Set	162
5.6.5. Data Processing	163
5.6.6. Results	165
5.6.7. Discussion	182
5.6.8. Conclusion	183
<b>6. CONCLUSION? - KEY ELEMENTS IN THE DESIGN AND IMPLEMENTATION OF GEOCHEMICAL SURVEYS</b>	<b>184</b>
<b>7. CONTACTS:</b>	<b>199</b>

## 1. INTRODUCTION

In many regions of the world, including Australia, large numbers of mineral deposits have been delineated using exploration geochemistry. A significant proportion of exploration expenditure since the 1960's has, therefore, been directed towards geochemical exploration, including regional reconnaissance programs, localised follow-up surveys and exploratory drilling. In deeply weathered terrains, exploration geochemistry has generally proved more successful in targeting mineralisation than exploration geophysics.

The objective of exploration geochemistry today remains unchanged - to delineate geochemical signatures related to mineralisation. However, the science of geochemistry is turning the corner. The gross oversimplification of past survey procedures and interpretive methods have often had a serious negative impact on the effective use of geochemical methods in exploration during the recent past. Current developments in areas as diverse as landscape evolution and analytical chemistry methods have prompted a review both the factors that generate anomalies and, hence, the definition of the term "anomaly" and the way in which we undertake and interpret exploration geochemistry. Utilisation of case histories and technological advances will demonstrate that the traditional "approved" approach practiced by many companies leaves "gaping holes" through which an ore body can quietly slip. These holes represent opportunities for mineral discovery at low cost for competitors who possess the skills to recognise the deficiencies or omissions of others, (Hoffman, S.J., 1989).

We have become used to prescribed or expected patterns of geochemical anomalism that fit into somewhat inadequate conceptual models of geochemical dispersion. Too often, if these prescribed patterns of "response" are not present, we walk away. Our apparent inability to routinely resolve subtle geochemical anomalism, such that might be expected from mineralisation in areas with cover or that is buried deeply, is largely due to the way in which we try to apply our outcrop geochemical experience in environments where there is no outcrop. It is no longer a world of log normal decay curves, means and standard deviations and big numbers, but one of noisy backgrounds, erratic distribution of geochemically variable transported lithotypes, structural leakage geochemistry, presence or absence of solute species irrespective of magnitude and values that push the lower limits of the analytical technology.

Although there are large tracts of relatively un-explored geological terrain in various parts of the world where routine geochemical sampling followed by simple basic interpretation will define mineralisation, it is much less likely the case in the more extensively explored terrains as in Australia, Europe or North America. In these "mature" terrains current exploration programs are being increasingly directed towards mineralisation with subtle or no surface expression. Here the application of geochemical techniques has had to evolve from recognising geochemical signatures of mineralization in leached outcrops and residual soils, towards identification of targets that are masked by transported cover or barren weathered zones. This requires more sophisticated geochemical models and methods, especially at the reconnaissance stage, with attention focussed on novel or refined approaches to sampling media, sample collection and processing, chemical analysis, data processing and data interpretation.

Recent advances, including the use of partial and selective extraction methods, vapour chemistry, groundwater and biogeochemistry, have proven capable of detecting weak dispersion haloes through deeply weathered and/or transported overburden. These advances have been linked to progressively better understanding of the processes and results of different styles of landscape evolution, regolith development and the transportation of metals.

A review of the chemical processes of weathering rock and sulphides and element mobility are given. Despite the extensive recent literature on the subject there is often a poor understanding of the basics of what is, in essence, a simple process complicated by erosional and depositional activity.

Strategies for implementing geochemical surveys, including data processing, integration and interpretation strategies, at both regional and follow-up scales will be considered with various case studies selected from within Australia and elsewhere. The course will demonstrate the potential of routine everyday geochemical methodology (with some adaptation to suit the geological, geophysical and geochemical environment of interest and different choices of analytical techniques) to resolve anomalism sourced from the small to the gigantic body of mineralisation.